

FOR EVERY TASTE.

Snap fasteners – for every application

STAR, SUPER, ELEGANT, plastic and sew-on snap fasteners – for clothing, textiles, leather, packaging and technical applications. With all sizes, dimensions, standard colours from stock and the matching assortments.

5 systems
Metal, plastic and sew-on

12 colours
Nickel-free, stainless steel, matt

Personal advice
At your service since 1944

COLOURS

Our snap fasteners in these colours

Our snap fasteners are available in the following colours – from stock or made to order. Simply state the colour number with your enquiry.

- **col. 51** Nickel-plated silver
- **col. 52** Brass yellow
- **col. 53** Brass gold-plated
- **col. 167** Nickel-free burnished / Metalgun
- **col. 60/188** Nickel-free silver
- **col. 1A3** Antique brass
- **col. 1IY** Black
- **col. 114** Copper
- **col. Inox** Stainless steel
- **col. 182** Antique copper
- **col. 9005** Matt black
- **col. 9010** White matt

SNAP FASTENER SYSTEMS

Which snap fastener is right for you?

We carry five snap fastener systems – STAR, SUPER and ELEGANT in metal, PLASTIDUR in plastic, and sew-on snap fasteners. Choose the right system for your application.



S-SPRING

STAR – The classic

View Star 1 to Star 5 →



RING SPRING

SUPER – The strong one

View Super 2 and Super 3 →



PRONG RING

ELEGANT – The Light One

More about ELEGANT →



PLASTIDUR

PLASTIC – polyester

View Plastidur 2010 and 2008 →



SEW-ON

SEW-ON SNAP FASTENERS – The classics for sewing

View sizes 1 to 7 →



S-SPRING

STAR – The classic

S-spring snap fastener


Smooth, durable closing and opening function thanks to double-acting, S-shaped springs. Close fit on the fabric thanks to the shape of the snap fastener parts – even on thin fabrics thanks to domed sockets. Wide range of applications for many clothing materials. Large range of standard versions and versatile individual design options for the snap fastener caps.

PARTICULARLY SUITABLE FOR


- ✓ Jackets
- ✓ Workwear
- ✓ Protective clothing
- ✓ Sportswear
- ✓ Children's clothing
- ✓ Outdoor
- ✓ Leather goods
- ✓ Home textiles
- ✓ Navy
- ✓ Garment manufacturing
- ✓ Technical textiles
- ✓ Bags & accessories




How to read the dimensions **T** = diameter · **H** = height · **P** = shank, hole or ball Ø depending on part




Cap
P = shank Ø



Socket
P = hole Ø



Stud
P = ball Ø



Post
P = shank Ø

The STAR series consists of the following components

Select the desired components to configure material, finish and size.

How to read the item number: Star No. = snap fastener size (e.g. Star 4, Star 5) · /1 = blind cap · /2 to /5 = cap, depending on size · /a = socket · /b = stud · /c = post

Upper parts



Star No.

Blind cap



The blind cap is set between two layers of fabric or leather and is not visible from the outside.

OR



Star No.

Cap



The cap is the visible part of the snap fastener and forms the clean, closed surface.

Lower parts



Star No.

Socket



The socket receives the stud and ensures the snap fastener holds securely.



Star No.

Stud



The stud snaps into the socket and allows the snap fastener to be closed securely.



Star No.

Post



The post is set together with the stud and provides stable fastening in fabric or leather.

STAR versions

Star 5 Shown: nickel-plated col. 51

CAPS



Star 5/1

Blind cap

T	16 mm
H	4,5 mm
P	3,4 mm



Star 5/2

Cap

T	15,5 mm
H	6,6 mm
P	3,4 mm

INCLUDED IN
Basic assortment: 599A
Supplementary assortment: 599AB



Star 5/2

Cap plastic black

T	15,5 mm
H	6,6 mm
P	3,4 mm



Star 5/3

Cap

T	17 mm
H	6,6 mm
P	3,4 mm

INCLUDED IN
Basic assortment: 599A
Supplementary assortment: 599AB



Star 5/4

Cap

T	22 mm
H	6,6 mm
P	3,4 mm



Star 5/5

Cap

T	26 mm
H	6,6 mm
P	3,4 mm

STANDARD COLOURS from stock



col. 51
Nickel-plated silver



col. 52
Brass yellow



col. 167
Nickel-free burnished / Metalgun



col. 60/188
Nickel-free silver

LOWER PARTS



Star 5/a

Socket

With S-spring · for the cap

T	H	P
16 mm	4,5 mm	4,5 mm

INCLUDED IN
Basic assortment: 599A
Supplementary assortment: 599AB



Star 5/b

Stud

Counterpart to the socket

T	H	P
18 mm	4,2 mm	5,5 mm

INCLUDED IN
Basic assortment: 599A
Supplementary assortment: 599AB



Star 5/c

Post

To the stud

T	H	P
15 mm	8 mm	3,9 mm

INCLUDED IN
Basic assortment: 599A
Supplementary assortment: 599AB

Star 4 Shown: nickel-plated col. 51

CAPS



Star 4/1
Blind cap

T	13 mm
H	4,2 mm
P	2,9 mm



Star 4/2
Cap

T	12,5 mm
H	6,3 mm
P	2,9 mm

INCLUDED IN
Basic assortment: 599A, 599A1
Supplementary assortment: 599AB, 599A1B



Star 4/3
Cap

T	14 mm
H	6,3 mm
P	2,9 mm

INCLUDED IN
Basic assortment: 599A, 599B, 599B1
Supplementary assortment: 599AB, 599B1B, 599BB



Star 4/4
Cap

T	15,5 mm
H	6,3 mm
P	2,9 mm



Star 4/4
Cap surface ribbed

T	15,5 mm
H	6,3 mm
P	2,9 mm



Star 4/5
Cap

T	17 mm
H	6,3 mm
P	2,9 mm

STANDARD COLOURS from stock

- **col. 51** Nickel-plated silver
- **col. 52** Brass yellow
- **col. 167** Nickel-free burnished / Metalgun
- **col. 60/188** Nickel-free silver
- **col. Inox** Stainless steel

LOWER PARTS



Star 4/a
Socket
With S-spring · for the cap

T	H	P
12,6 mm	4 mm	3,9 mm

INCLUDED IN
Basic assortment: 599A, 599A1, 599B, 599B1
Supplementary assortment: 599AB, 599A1B, 599B1B, 599BB



Star 4/b
Stud
Counterpart to the socket

T	H	P
10 mm	3,8 mm	4,55 mm

INCLUDED IN
Basic assortment: 599A, 599A1, 599B, 599B1
Supplementary assortment: 599AB, 599A1B, 599B1B, 599BB



Star 4/c
Post
To the stud

T	H	P
12 mm	7 mm	3,3 mm

INCLUDED IN
Basic assortment: 599A, 599A1, 599B, 599B1
Supplementary assortment: 599AB, 599A1B, 599B1B, 599BB



Star 4 Aqua
Waterproof snap fastener
Post



Star 4 Aqua
Waterproof snap fastener
Stud with sealing washer



Star 4 Aqua
Waterproof snap fastener
Waterproof cap with sealing washer



Star 4
Special items
On request



Star 4
Plastic caps
On request



Star 4
With tab
Fastening tab for filing or binding – on request



Star 4/2
Cap, lacquered
col. Yellow B3



Star 4/2
Cap, lacquered
col. Green 56



Star 4/2
Cap, lacquered
col. Orange 78



Star 4/2
Cap, lacquered
col. Red 67



Star 4/2
Cap, lacquered
col. Violet 11



Star 4/2
Cap, lacquered
col. Blue 46



Star 4/2
Cap, lacquered
col. White 88



Star 4/2
Cap, lacquered
col. Matt black 36



Star 4/2
Caps, lacquered, mixed
Bag of mixed colours

Star 3

Shown: nickel-plated col. 51

CAPS



Star 3/1
Blind cap

T	12 mm
H	3,8 mm
P	2,5 mm



Star 3/2
Cap

T	10,5 mm
H	4,7 mm
P	2,5 mm

INCLUDED IN
Supplementary assortment: 599H



Star 3/3
Cap

T	12,5 mm
H	4,7 mm
P	2,5 mm



Star 3/4
Cap

T	15,5 mm
H	4,7 mm
P	2,5 mm



Star 3/5
Cap

T	17 mm
H	4,7 mm
P	2,5 mm

STANDARD COLOURS from stock

- **col. 51** Nickel-plated silver
- **col. 52** Brass yellow
- **col. 167** Nickel-free burnished / Metalgun
- **col. 60/188** Nickel-free silver
- **col. 1A3** Antique brass
- **col. 1IY** Black

LOWER PARTS



Star 3/a
Socket
With S-spring · for the cap

T	H	P
11 mm	3,6 mm	3,5 mm

INCLUDED IN
Supplementary assortment: 599H



Star 3/b
Stud
Counterpart to the socket

T	H	P
9 mm	3,5 mm	4,1 mm

INCLUDED IN
Supplementary assortment: 599H



Star 3/c
Post
To the stud

T	H	P
10 mm	6,5 mm	2,9 mm

INCLUDED IN
Supplementary assortment: 599H

Star 2

Shown: nickel-plated col. 51

CAPS



Star 2/1
Blind cap

T	9,5 mm
H	3,5 mm
P	2,2 mm



Star 2/2
Cap

T	8,8 mm
H	4,5 mm
P	2,2 mm



Star 2/3
Cap

T	10,5 mm
H	4,5 mm
P	2,2 mm



Star 2/4
Cap

T	15,5 mm
H	4,5 mm
P	2,2 mm



Star 2/5
Cap

T	17 mm
H	4,5 mm
P	2,2 mm

STANDARD COLOURS from stock

- **col. 51** Nickel-plated silver
- **col. 52** Brass yellow
- **col. 167** Nickel-free burnished / Metalgun
- **col. 60/188** Nickel-free silver

LOWER PARTS



Star 2/a
Socket
With S-spring · for the cap

T	H	P
9,3 mm	3,2 mm	4,05 mm



Star 2/b
Stud
Counterpart to the socket

T	H	P
9,3 mm	3,1 mm	3,3 mm



Star 2/c
Post
To the stud

T	H	P
10 mm	5,5 mm	2,2 mm

Star 1

Shown: nickel-plated col. 51

CAPS



Star 1/1
Blind cap

T	8,5 mm
H	3 mm
P	1,8 mm



Star 1/2
Cap

T	7,5 mm
H	3,9 mm
P	1,8 mm



Star 1/3
Cap

T	8,8 mm
H	3,9 mm
P	1,8 mm

STANDARD COLOURS from stock

- **col. 51** Nickel-plated silver
- **col. 52** Brass yellow
- **col. 53** Brass gold-plated
- **col. 167** Nickel-free burnished / Metalgun
- **col. 60/188** Nickel-free silver
- **col. 1A3** Antique brass
- **col. 1IY** Black

LOWER PARTS



Star 1/a
Socket
With S-spring · for the cap

T	H	P
8,7 mm	3,4 mm	3,45 mm



Star 1/b
Stud
Counterpart to the socket

T	H	P
7,5 mm	3,2 mm	2,7 mm



Star 1/c
Post
To the stud

T	H	P
8 mm	5,8 mm	1,75 mm



RING SPRING

SUPER – The strong one

Ring-spring snap fastener

Robust look and function thanks to ring-shaped springs – particularly suitable where high closing force is required. Preferred for high-strength and thick fabrics, also suitable with screw fastening. Large range of standard versions and versatile options for individually designing the snap caps.


PARTICULARLY SUITABLE FOR

- ✓ Leather jackets
- ✓ Leather goods
- ✓ Workwear
- ✓ Outdoor
- ✓ Saddlery & tarpaulins
- ✓ Navy
- ✓ Mobility
- ✓ Industry & technology




How to read the dimensions


T = diameter · **H** = height · **P** = shank, hole or head Ø depending on part




Cap
P = shank Ø



Socket
P = hole Ø



Stud
P = head Ø



Post
P = shank Ø

The SUPER series consists of the following components

Select the desired components to configure material, finish and size.

How to read the item number: Super No. = snap fastener size · blind cap or /1 to /4 = cap, depending on size · /a = socket · /b = stud · /c = post

Upper parts



Super No.

Blind cap

The blind cap is set between two layers of fabric or leather and is not visible from the outside.

OR



Super No.

Cap

The cap is the visible part of the snap fastener – robust and customisable in many versions.

Lower parts



Super No.

Socket

The socket with ring-shaped spring receives the stud and provides the high closing force.



Super No.

Stud

The stud snaps into the ring spring and allows secure, strong closing.



Super No.

Post

The post is set together with the stud and holds even in thick and high-strength materials.

SUPER versions

Super 3 Shown: nickel-plated col. 51

CAPS



Super 3
Blind cap

T	14 mm
H	6 mm
P	3,8 mm



Super 3/1
Cap

T	14 mm
H	7,2 mm
P	3,8 mm



Super 3/2
Cap

T	15,5 mm
H	7,2 mm
P	3,8 mm

INCLUDED IN
Basic assortment: 599A1
Supplementary assortment: 599A1B



Super 3/2
Cap plastic black

T	15,5 mm
H	7,2 mm
P	3,8 mm



Super 3/2
Cap surface ribbed

T	15,5 mm
H	7,2 mm
P	3,8 mm



Super 3/2
Cap surface ribbed, burnished

T	15,5 mm
H	7,2 mm
P	3,8 mm



Super 3/2
Cap long neck 8,5
For thick materials

T	15,5 mm
H	8,5 mm
P	3,8 mm



Super 3/2
Cap long neck 10,5
For thick materials

T	15,5 mm
H	10,5 mm
P	3,8 mm



Super 3/3
Cap

T	17 mm
H	7,2 mm
P	3,8 mm

STANDARD COLOURS from stock

- **col. 51** Nickel-plated silver
- **col. 52** Brass yellow
- **col. 167** Nickel-free burnished / Metalgun
- **col. 60/188** Nickel-free silver
- **col. Inox** Stainless steel

LOWER PARTS



Super 3/a
Socket
With ring spring · for the cap

T	H	P
14 mm	4,2 mm	4 mm

INCLUDED IN
Basic assortment: 599A1
Supplementary assortment: 599A1B



Super 3/b
Stud
Counterpart to the socket

T	H	P
14 mm	4,2 mm	4 mm

INCLUDED IN
Basic assortment: 599A1
Supplementary assortment: 599A1B



Super 3/c
Post
To the stud

T	H	P
14 mm	7 mm	3,8 mm

INCLUDED IN
Basic assortment: 599A1
Supplementary assortment: 599A1B



Super 3/c
Post 9,5
Long shank · for thick materials

T	H	P
14 mm	9,5 mm	3,8 mm



Super 3/b
Stud long rivet

T	14 mm
H	15 mm
P	4 mm



Super 3/b
Screw function burnished
Incl. screw

T	14 mm
H	15 mm
P	4 mm



Super 3/b
Screw function nickel-plated silver
Incl. screw

T	14 mm
H	15 mm
P	4 mm



Super 3/bS
Safety ring-spring snap fastener – stud
Opens from one side only – e.g. for pistol holsters and other safety items



Super 3/aS
Safety ring-spring snap fastener – socket
Opens from one side only – e.g. for pistol holsters and other safety items



Super 3
Plastic caps
On request



Super 3 Aqua
Waterproof version
On request

Super 2 Shown: nickel-plated col. 51

CAPS



Super 2/1

Blind cap

T	11 mm
H	6 mm
P	2,9 mm



Super 2/2

Cap

T	10,5 mm
H	7,2 mm
P	2,9 mm



Super 2/3

Cap

T	12,5 mm
H	7,2 mm
P	2,9 mm



Super 2/4

Cap

T	14 mm
H	7,2 mm
P	2,9 mm

STANDARD COLOURS from stock



col. 51
Nickel-plated silver



col. 52
Brass yellow



col. 167
Nickel-free burnished / Metalgun



col. 60/188
Nickel-free silver



col. 1A3
Antique brass



col. 1IY
Black

LOWER PARTS



Super 2/a

Socket

With ring spring · for the cap

T	H	P
10,6 mm	3,6 mm	3,6 mm



Super 2/b

Stud

Counterpart to the socket

T	H	P
11 mm	3,2 mm	7,1 mm



Super 2/c

Post

To the stud

T	H	P
10 mm	5,5 mm	2,9 mm



Super 2/b

Screw function burnished

Incl. screw

T	11 mm
H	12 mm
P	7,1 mm



Super 2/b

Screw function nickel-plated silver

Incl. screw

T	11 mm
H	12 mm
P	7,1 mm



Super 2 Aqua

Waterproof version

On request



PRONG RING

ELEGANT – The lightweight

Prong-ring snap fastener

Flat appearance and reliable function thanks to the so-called lip-shaped spring system – for light and medium closing force requirements. Fabric-friendly attachment, even in stretch fabrics or knitwear, thanks to 5-prong fastening. Ideally suited for heavy-duty clothing when using the «stainless steel» version. Harmonious matching to the colour of the fabric when using open prong rings. Fashionable cap designs thanks to colour, design and material variants.

PARTICULARLY SUITABLE FOR

- ✓ Baby clothing
- ✓ Children's clothing
- ✓ Jersey
- ✓ Knitted and hosiery goods
- ✓ Stretch
- ✓ Underwear
- ✓ Blouses & shirts
- ✓ Sportswear




Two variants of the ELEGANT snap fastener


Prong-ring version: The prong ring is used **twice** – once for the socket and once for the stud.

Rivet version: The prong ring is used only **once**, for the socket; the stud is attached with the post.


How to read the dimensions **T** = diameter · **H** = height · **P** = shank, hole or ball Ø depending on part




Prong ring
P = inner Ø



Socket
P = hole Ø



Stud
P = ball Ø



Post
P = shank Ø

The ELEGANT series consists of the following components

Select the desired components to configure material, finish and size.

How to read the item number: Elegant **No.** = snap fastener size (e.g. Elegant 1 to 4) · /1 = prong ring · /2 to /5 = cap, depending on size · /a = socket · /b = stud · /c = post

Upper parts



Elegant No.

Prong ring

The open prong ring is attached gently with 5 prongs – the fabric colour remains visible.

OR



Elegant No.

Cap

The closed cap forms the visible surface – in metal, colour or mother-of-pearl.

Lower parts



Elegant No.

Socket

The socket with lip spring receives the stud – flat and secure when closed.



Elegant No.

Stud

The stud snaps into the socket. It is fastened with a second prong ring or with the post.



Elegant No.

Post

The post fastens the stud in the rivet version – instead of a second prong ring.

ELEGANT versions

Elegant 4 Shown: nickel-free silver col. 60/188

UPPER PARTS



Elegant 4/1

Prong ring

2× per lower part

T	16,1 mm
H	4,8 mm
P	10 mm

+

LOWER PARTS



Elegant 4/a

Socket

Lip spring

T	H	P
15,5 mm	2 mm	7,5 mm



Elegant 4/b

Stud

Counterpart to the socket

T	H	P
15,5 mm	5 mm	7 mm

STANDARD COLOURS from stock



col. 60/188
Nickel-free silver

Elegant 3 Shown: nickel-plated col. 51

UPPER PARTS



Elegant 3/1
Prong ring

T	10,9 mm
H	4 mm
P	6,2 mm

INCLUDED IN
Supplementary assortment: 599I



Elegant 3/1
Prong ring white

T	10,9 mm
H	4 mm
P	6,2 mm



Elegant 3/1
Prong ring long version

T	10,9 mm
H	4,6 mm
P	6,2 mm



Elegant 3/1R
Prong ring wide rim
Suitable for logo embossing

T	12 mm
H	4,5 mm
P	4,3 mm



Elegant 3/1R
Prong ring wide rim
Suitable for logo embossing

T	14 mm
H	4,5 mm
P	4,3 mm



Elegant 3/2-1
Cap

T	11 mm
H	4,2 mm
P	6,2 mm



Elegant 3/2
Cap

T	12 mm
H	4,2 mm
P	6,2 mm



Elegant 3/2
Cap white

T	12 mm
H	4,2 mm
P	6,2 mm



Elegant 3/3
Cap

T	14 mm
H	4,2 mm
P	6,2 mm



Elegant 3/3
Cap white

T	14 mm
H	4,2 mm
P	6,2 mm



Elegant 3/5
Cap

T	17 mm
H	4,2 mm
P	6,2 mm

STANDARD COLOURS from stock

- **col. 51** Nickel-plated silver
- **col. 60/188** Nickel-free silver
- **col. 167** Nickel-free burnished / Metalgun
- **col. Inox** Stainless steel

LOWER PARTS



Elegant 3/a
Socket
Lip spring

T	H	P
11 mm	1,7 mm	3,9 mm



Elegant 3/aR
Socket
Copper ring

T	H	P
11 mm	1,7 mm	3,9 mm

INCLUDED IN
Supplementary assortment: 599I



Elegant 3/b
Stud
Counterpart to the socket

T	H	P
11 mm	3,9 mm	3,7 mm

INCLUDED IN
Supplementary assortment: 599I



Elegant 3/c
Post
For the rivet version

T	H	P
12 mm	5,2 mm	2,9 mm

Elegant 3 mother-of-pearl

Caps with mother-of-pearl inlay · matching the Elegant 3 lower parts

Elegant 3/11

Cap mother-of-pearl · 10 colours

T	H	P
13 mm	8 mm	6,2 mm

INCLUDED IN

Supplementary assortment: 599I (all mother-of-pearl colours)



Ocean Blue
col. 47



Mirror White
col. 88



Rubin Red
col. 64



Pearl
col. 95



Amber
col. 03



Cotton Cream
col. 01



Deep Green
col. 52



Grey Stone
col. 02



Anthracite
col. 98



Light Sky
col. 49

Elegant 3/12

Cap mother-of-pearl

T	H	P
15 mm	8 mm	6,2 mm



Mirror White (Pearl)
col. 88

Elegant 3 plastic

Plastic caps · matching the Elegant 3 lower parts

Elegant 3

Cap plastic · 5 colours

T	H	P
12,1 mm	4,2 mm	6,2 mm



White



Blue



Red



Yellow



Green

Elegant 2 Shown: nickel-plated col. 51

UPPER PARTS



Elegant 2/1
Prong ring

T	9,5 mm
H	3,8 mm
P	5,8 mm

INCLUDED IN
Supplementary assortment: 599E



Elegant 2/1
Prong ring white

T	9,5 mm
H	3,8 mm
P	5,8 mm



Elegant 2/1
Prong ring black

T	9,5 mm
H	3,8 mm
P	5,8 mm



Elegant 2/2
Cap

T	10,5 mm
H	5,7 mm
P	5,8 mm

INCLUDED IN
Supplementary assortment: 599E



Elegant 2/2
Cap black

T	10,5 mm
H	5,7 mm
P	5,8 mm

INCLUDED IN
Supplementary assortment: 599E

Elegant 2/2
Cap white

T	10,5 mm
H	5,7 mm
P	5,8 mm

INCLUDED IN
Supplementary assortment: 599E



Elegant 2/3
Cap

T	12 mm
H	5,7 mm
P	5,8 mm



Elegant 2/3
Cap white

T	12 mm
H	5,7 mm
P	5,8 mm

LOWER PARTS



Elegant 2/a
Socket
Lip spring

T	H	P
9,5 mm	1 mm	3,2 mm

INCLUDED IN
Supplementary assortment: 599E



Elegant 2/aR
Socket
Copper ring

T	H	P
9,5 mm	1 mm	3,2 mm



Elegant 2/b
Stud
Counterpart to the socket

T	H	P
9,5 mm	3,2 mm	3 mm

INCLUDED IN
Supplementary assortment: 599E

STANDARD COLOURS from stock



col. 51
Nickel-plated silver



col. 60/188
Nickel-free silver



col. 167
Nickel-free burnished / Metalgun



col. 114
Copper



Elegant 2/1
Prong ring coloured
Mixed colours

T	9,5 mm
H	3,8 mm
P	5,8 mm

INCLUDED IN
Supplementary assortment: 599E

Elegant 2 mother-of-pearl

To match the Elegant 2 lower parts

Elegant 2/11

Cap mother-of-pearl

T	H	P
11 mm	5,8 mm	5,8 mm



Mirror White
col. 88

Elegant 1

Shown: nickel-plated col. 51

UPPER PARTS



Elegant 1/1
Prong ring

T	7 mm
H	3 mm
P	4,1 mm



Elegant 1/1
Prong ring white

T	7 mm
H	3 mm
P	4,1 mm



Elegant 1/2
Cap

T	8 mm
H	3,8 mm
P	2,4 mm

Elegant 1/2
Cap white

T	8 mm
H	3,8 mm
P	2,4 mm

+

LOWER PARTS



Elegant 1/a
Socket
Lip spring

T	H	P
7,7 mm	1 mm	2,4 mm



Elegant 1/b
Stud
Counterpart to the socket

T	H	P
7,7 mm	2,2 mm	2,3 mm

STANDARD COLOURS from stock



col. 51
Nickel-plated silver



col. 60/188
Nickel-free silver



col. 167
Nickel-free burnished / Metalgun



PLASTIDUR

PLASTIC – Polyester

Plastic Snap – plastic snap fastener

High-quality PBT plastic (polyester, melting temperature 225 °C) with permanent, elastic spring action. Colour-matched to the material, the snap fasteners remain inconspicuous. Temperature- and care-resistant within the textile labelling for synthetic fibres – for workwear, household, leisure and eco/single-material clothing as well as small to medium-sized fabric and leather articles. Standard in col. 9005 black matt and col. 9010 white matt, **other RAL colours on request**.


PARTICULARLY SUITABLE FOR

- ✓ **Workwear**
- ✓ **Household clothing**
- ✓ **Leisurewear**
- ✓ **Eco / single-material clothing**
- ✓ **Children's clothing**
- ✓ **Fabric and leather goods**




How to read the dimensions

T = diameter · **H** = height · **P** = pin, hole, ball or shank Ø depending on part




Cap

P = pin Ø · 2× per snap fastener




Socket

P = hole Ø



Stud

P = ball Ø



Rivet (Color 1000)

P = shank Ø · metal

The plastic series consists of the following components

The cap is used twice – on top with the socket, underneath with the stud.

How to read the item number: Plastic **No.** = version (e.g. Plastidur 2010, Color 1000, Plasticlac 2) · cap · socket · stud

Upper parts



Plastic No.

Cap · 2× per snap fastener

The cap forms the visible surface – top and bottom. It is pushed through the fabric and pressed together with the lower part.

Lower parts



Plastic No.

Socket

The socket receives the stud and ensures a secure, gentle closure.



Plastic No.

Stud

The stud snaps into the socket and is fastened with the second cap.

PLASTIC versions

Plastidur 2010 Plastic · other RAL colours on request

CAPS



Plastidur 2010

Cap

2× per snap fastener

T	15,3 mm
H	7 mm
P	2,9 mm

LOWER PARTS



Plastidur 2010

Socket

T	H	P
13,4 mm	3 mm	3 mm



Plastidur 2010

Stud

T	H	P
13,4 mm	3 mm	3 mm

STANDARD COLOURS from stock

- **col. 9005** Matt black
- **col. 9010** White matt

Plastidur 2008

Plastic · other RAL colours on request

CAPS



Plastidur 2008

Cap

2× per snap fastener

T	10 mm
H	5 mm
P	2,2 mm

LOWER PARTS



Plastidur 2008

Socket

T	H	P
10 mm	2 mm	2,5 mm



Plastidur 2008

Stud

T	H	P
10 mm	2 mm	2,5 mm

STANDARD COLOURS from stock

- **col. 9005** Matt black
- **col. 9010** White matt

Color 1000

Cap Ø 12,5 or 15,3 mm · cap riveted to socket · stud attached with rivet · other RAL colours on request

CAPS



Color 1000

Cap

Riveted to the socket

T	12,5 mm
H	3,3 mm
P	6 mm



Color 1000

Cap

Riveted to the socket

T	15,3 mm
H	3,3 mm
P	6 mm

STANDARD COLOURS from stock

- **col. 9005** Matt black
- **col. 9010** White matt

LOWER PARTS



Color 1000

Socket

Riveted with the cap

T	H	P
12,5 mm	6 mm	3,5 mm



Color 1000

Stud

Attached with the rivet

T	H	P
12,5 mm	7,5 mm	4 mm



Color 1000

Rivet

Metal · for the stud

T	H	P
12,5 mm	2 mm	5 mm

Plasticlac 2

Plastic snap fastener · cap with rivet · further RAL colours on request

CAPS



Plasticlac 2
Cap / rivet

T	9,7 mm
H	6 mm
P	3,2 mm



Plasticlac 2
Cap / rivet

T	13 mm
H	7,1 mm
P	3,2 mm

STANDARD COLOURS from stock

- **col. 9005** Matt black
- **col. 9010** White matt

LOWER PARTS



Plasticlac 2
Socket

T	H	P
9,7 mm	2,6 mm	2,4 mm



Plasticlac 2
Stud

T	H	P
9,7 mm	2,6 mm	5 mm

Plasticlac 6

Plastic snap fastener · cap with rivet · further RAL colours on request

CAPS



Plasticlac 6
Cap / rivet

T	15 mm
H	9 mm
P	3,2 mm

STANDARD COLOURS from stock

- **col. 9005** Matt black
- **col. 9010** White matt

LOWER PARTS



Plasticlac 6
Socket
Standard version

T	H	P
15 mm	3,5 mm	2,4 mm



Plasticlac 6
Stud
Standard version

T	H	P
13 mm	3,2 mm	2,4 mm



Plasticlac 6
Socket
Wide-opening version

T	H	P
15 mm	3,5 mm	2,4 mm



Plasticlac 6
Stud
Wide-opening version

T	H	P
13 mm	3,2 mm	2,4 mm

Plasticlac 8

Plastic snap fastener · cap with rivet · further RAL colours on request

CAPS




Plasticlac 8

Cap / rivet

T	19 mm
H	8,6 mm
P	3,2 mm

LOWER PARTS



Plasticlac 8

Socket

T	H	P
19 mm	3,2 mm	2,4 mm



Plasticlac 8

Stud

T	H	P
15 mm	5,5 mm	2,4 mm

STANDARD COLOURS from stock

- **col. 9005** Matt black
- **col. 9010** White matt

Additional items

Further plastic snap fasteners · on request



Baby Snap

Plastic snap 10 mm

On request

T	10 mm



Tri Snap

Plastic snap 14 mm

On request

T	14 mm



SEW-ON

SEW-ON SNAP FASTENERS

– The classics for sewing

Sew-on snap fastener


The sew-on snap fastener is a two-part fastener made of metal or plastic which – unlike no-sew snap fasteners – is sewn onto textiles the classic way with needle and thread. It consists of a stud (upper part) and a socket (lower part) that snap into each other when pressed together. Large, robust versions are suitable for heavier garments such as coats, small sizes for fine fabrics such as cashmere and wool jumpers.




PARTICULARLY SUITABLE FOR

- ✓ Coats & jackets
- ✓ Cashmere & wool
- ✓ Knitwear
- ✓ Blouses & shirts
- ✓ Tailoring & studio
- ✓ Garment manufacturing

How to read the dimensions **T** = diameter · **H** = height



Stud
With sewing holes



Socket
With sewing holes

The sew-on snap fastener consists of the following components

Both parts are sewn on by hand through the sewing holes – without tools and without a machine.

How to read the item number: Sew-on snap fastener **No.** = snap fastener size (1 to 7) · stud · socket

Snap fastener parts



Sew-on snap fastener No.

Stud

The stud with the head is sewn onto one side of the fabric and snaps into the socket.



Sew-on snap fastener No.

Socket

The socket with internal spring is sewn onto the opposite side and holds the stud securely.

SEW-ON SNAP FASTENER versions

Sew-on snap fastener 1 Stud + socket · sew-on



Size 1
Stud

T	6,1 mm
H	2,5 mm



Size 1
Socket

T	6,1 mm
H	1,5 mm

Sew-on snap fastener 2 Stud + socket · sew-on



Size 2
Stud

T	7 mm
H	3 mm



Size 2
Socket

T	7,1 mm
H	2 mm

Sew-on snap fastener 3 Stud + socket · sew-on



Size 3
Stud

T	8,2 mm
H	3,5 mm



Size 3
Socket

T	8,6 mm
H	2,5 mm

Sew-on snap fastener 4 Stud + socket · sew-on



Size 4
Stud

T	9,1 mm
H	4 mm



Size 4
Socket

T	10,1 mm
H	3 mm

Sew-on snap fastener 5

Stud + socket · sew-on



Size 5

Stud

T	12,1 mm
H	4,5 mm



Size 5

Socket

T	12,1 mm
H	3 mm

Sew-on snap fastener 6

Stud + socket · sew-on



Size 6

Stud

T	15,5 mm
H	5,5 mm



Size 6

Socket

T	15,8 mm
H	3,5 mm

Sew-on snap fastener 7

Stud + socket · sew-on



Size 7

Stud

T	17,8 mm
H	5,5 mm



Size 7

Socket

T	19 mm
H	3,5 mm

Can't find the item you need?

Our range is larger than this overview. We are happy to advise you personally, send you samples or work with you to find the right solution for your material and application.

ADDRESS

BRERO Schweiz AG
Ebikonerstrasse 75
6043 Adligenswil
Switzerland

CONTACT

+41 41 375 03 03
info@brero.ch
www.brero.ch

BRERO